

#### YANMAR DIESEL RANGE

SELF-PRIMING PUMPS

HIGH PRESSURE CLEANERS

HYDROSTATIC TESTERS

#### **AUSSIE QP FIRE PUMPS**

#### **HIGH PRESSURE / FLOW**

#### Yanmar L series diesel air cooled engine ...

- Compact, direct injection engine ... easy installation & low fuel consumption
- · Low vibration & low noise
- Quick and easy to start with auto return decompressor
- Electric start options with recoil back-up
- 2 year Yanmar engine warranty

#### Aussie QP fire pump range ...

- Out perform & out-feature all others
- Superb fuel efficiency
- Fast self priming from
  7.6 metres ... prime fast, first time every time!
- Large single piece impeller ... biggest in the market
- FREE gal full roll frame with anti vibration mounts





#### **DESIGNED FOR A LONG, ECONOMICAL LIFE!**

Inlet/				Pump	Max Head	Max Flow	Self primes
Outlet	Model	s/code	HP	PSI	(m)	(lpm)	to (m)

#### Aussie QP Yanmar High Pressure - fire fighting

2" inlet	Fire Chief	QP205SE/L48	(recoil start)	4.2	85	60	400	7.6
3 way	Fire Chief	QP205SL/L48E	(electric start)	4.2	85	60	400	7.6
outlet*	Mr T Twin	QPT205SLT/L1008	(electric start)	10	128	90	450	7.6
3" x 3"	Impeller	QPT305SLT/L100E	(electric start)	10	128	90	480	7.6

\* 3 way outlet .... 1 x 1%" outlet and 2 x 1" outlet

fire fighting

| water transfer

| irrigation



Mr T Twin Impelle QPT205SLT/L100

## Aussie Pumps

#### **AUSSIE QP GUSHERS**

#### 3" & 4" HIGH PRESSURE & HIGH FLOW

The Aussie QP range of high pressure & high flow transfer pumps are powered by premium Yanmar diesel engines.

These quality pumps are primed to perform for years of economical service.

Diesel drive pumps are safer to refuel during a bushfire emergency, last longer when maintained, and offer lower

through life costs.

- · Superb fuel efficiency
- Fast self priming from 8.2 metres ... prime fast, first time every time.
- Marine grade aluminium body with replaceable suction port
- FREE gal full roll frame with anti vibration mounts
- FREE coupling kit & strainer



High pressure (SL) & Extra high pressure (SX)



# QP310SL/L100


#### High flow applications

- High volume water transfer
- Fill tankers fast
- Flood irrigation
- · Site dewatering
- Irrigation

#### High flow

#### High pressure applications

- Fire fighting ... village protection
- High pressure water transfer
- Wash & flush stock crate cleanout
- Tanker batter spray
- · Dust suppression
- · High head dewatering



1	
QP303/L48	
Water transfer	pump
with electric st	art

Inlet/ Outlet	Model	s/code	НР	,	Max Head (m)	Self primes to (m)

#### Aussie QP Yanmar High Flow

3"x 3"	QP303	QP303/L48	(recoil start)	4.8	43	30	1000	7.6
3 X 3	QP310	QP310/L100E	(electric start)	10	43	30	1300	8.2
4"x 4"	QP402	QP402/L100E	(electric start)	10	40	28	1600	8.2
6"x 6"	QP602	QP602/L100E	(electric start)	10	26	18	2500	7.4

#### **Aussie QP Yanmar High Pressure (SL)**

3"x 3" (	QP310SL	QP310SL/L100E	(electric start)	10	71	50	1150	8
4"x 4" (	QP402SL	QP402SL/L100E	(electric start)	10	71	50	1250	8

#### Aussie QP Yanmar Extra High Pressure (SX)

3"x 3"	QP310SX	QP310SX/L100E (electric start)	10	100	70	700	8
4"x 4"	QP402SX	QP402SX/L100E (electric start)	10	100	70	700	8





2020

Performance figures shown are a guide only. Full data sheets with performance curves are available for application selection.

#### **AUSSIE SEA SKIPPER**

Salt water pumps

**Corrosion resistant Aussie QP** self-priming pumps.

- 2", 3" & 4"options
- High pressure, high flow & trash pump options
- Marine grade aluminium with marine coating (inside & out)
- Bronze impeller & volute
- Sacrificial zinc anode
- Stainless steel fasteners



Full details in





#### **AUSSIE QP TRASH PUMPS**

#### **DIRTY WATER SPECIALISTS**

The Aussie QP range trash pumps are powered by Yanmar diesel engines.

Large, open vane impellers ensure solids pass through the pump.

- High SG cast iron impeller & volute ... wear resistant
- Silicon carbide mech seal
- Front mounted cleanout port ... clear blockages without the need to disconnect pipework

- FREE gal full roll frame with anti vibration mounts
- FREE coupling kit & strainer
- Super heavy duty frame with lifting bar option available (as shown)

#### **Applications**

- Wastewater transfer
- Effluent pump out
- Site dewatering
- Tailings dam pump out



Inlet/ Outlet	Model	s/code	HP	Pump PSI	Max Head (m)	Max Flow (lpm)	Self primes to (m)	Max solid size
2"x 2"	QP203T	QP203T/L48 (recoil start)	4.8	38	27	600	7.3	0.75"
3"x 3"	QP300T	QP300T/L48 (recoil start)	4.8	38	27	850	7.4	0.75"
3 X 3	QP301T	QP301T/L100E (electric start)	10	34	24	1200	7.5	1"
4"x 4"	QP40T	QP40T/L100E (electric start)	10	34	24	1800	7.6	1.5"

#### MINE BOSS TRASH PUMPS

#### **Made Aussie Mine Tough**

Aussie QP trash pump ... dirt water specialist ... 5 year warranty

Yanmar diesel engine ... 2 year engine

- 38mm super robust gal frame with balanced lifting bar & anti vib mount
- **Emergency stop**
- Gel battery
- Lockable battery isolation
- Integrated fire extinguisher



Inle Ou	et/ tlet	Model	s/code	HP	Max Head	Max Flow (lpm)	Self primes to (m)	Max solids to
2"x	ر2"	QP201T MS	QP201T/L48EMS2	4.8	27m (38 psi)	600	7.3	0.75"
3"x	ι 3"	QP301T MS	QP301T/L100EMS2	10	24m (34 psi)	1200	7.5	1"
4"x	۷4"	QP40T MS	QP40T/L100EM/S2	10	24m (34 psi)	1800	7.6	1.5"

Performance figures shown are a guide only.



#### Yanmar Engine Service Kits

Be ready for routine engine service with a genuine Yanmar service kit.

Includes air filter element, fuel filter element, oil filter strainer, fuel filter strainer, & SAE 40 engine oil.

L48 kit	EAPFKL48N
L70 & L100 kit	EAPFKL100N





#### **AUSSIE SEAMASTER**

Aussie self-priming poly pumps suit fuel & salt water transfer. Designed for a life at sea, used by navies of the world.

- · Strong 30% glass filled poly body
- Buna N seals for salt water & diesel compatibility
- EPDM & Viton seal options available for chemical transfer
- FREE gal frame with anti vib mounts
- Applications include marine salvage & fire fighting



QP301T/L70

0 1000 1200 CAPACITY (L/M)

QP40T/L100E

RSE2BUB/L48 > YANMAR

Inlet/ Outlet	S/code		Engine HP	Flow (lpm)	Head (m)
2"x 2	RSE2BUB/L48	(recoil start)	4.8	720	37
3"x 3"	RSE3BXB/L48	(recoil start)	4.8	870	37

#### **NEW STAINLESS STEEL SMART**

Corrosion resistant, 316 stainless steel pump with polypropylene internals

- · Viton seals ... suits most chemicals
- · Stainless steel frame
- 2" & 1 1/2" ports
- Flows to 660 lpm, heads to 23m
- · 4.8HP Yanmar diesel (recoil or electric start)



2020

## Aussie Pumps

#### **AUSSIE HIGH PRESSURE BLASTERS**

#### 3,000 - 4,000 psi Yanmar Diesel Pro Scud

Designed for pros who want a reliable, robust Yanmar diesel powered blaster for cleaning big plant or large areas.

- 'Big Berty' Bertolini slow speed triplex pump ... 4 year warranty
- Unique Scud stainless steel frame & anti vib mounts, steel wheels with flat free tyres (13")
- FREE ASP (Aussie Safety Protection) kit
- · Detergent injection ... faster cleaning

#### 3,000 psi Scud 350

- 4,785 psi EWP with optional turbo lance
- 15 lpm flow
- Yanmar L100 diesel electric start
- Bertolini TTL1520 triplex pump
- s/code ABBSS350/L100E
- Optional turbo CTN255-045

- Gearbox drive ... longer life
- · Easy fit 30m hose reel option
- Pro accessories including 10 metres high pressure hose
- · Skid & trailer mount options with integrated water tanks also available
- · Mine spec options shown

#### 4,000 psi Scud 400

- 6,485 psi EWP with optional turbo lance
- 13 lpm flow
- Yanmar L100 diesel, electric start
- · Bertolini TTL1330 triplex pump
- s/code ABBSS400/L100E
- Optional turbo CTN400-030

# NEW STAINLESS STEEL FRAME Aussie Scud 400 Yanmar Mine Boss

#### **Aussie Extreme Series**

#### 5,000 & 7,200 psi Hydro-blasters

#### 5,000 psi (350 BAR) Predator

- . 8,500 psi EWP with optional turbo
- · 25 lpm flow
- Yanmar TNV88 water cooled industrial diesel engine with integrated control panel
- . Big Berty RAL series triplex pump ... Class B, operator RTO certification required
- · Heavy duty gal frame skid base
- 60 litre break tank
- Integrated hose reel & 30m hp
- · Optional turbo CTN400-045H

#### 7,200 psi (500 BAR) Raptor 18

- 12,000 psi EWP with optional turbo head
- 18 lpm flow (21 & 24 lpm options)
- Yanmar TNV water cooled industrial diesel engine with integrated engine protection
- Big Berty RA series triplex pump ... Class B. operator RTO certification required
- Heavy duty gal frame skid base
- 60 litre break tank
- Integrated hose reel & 30m hose
- Optional turbo head CTN500-030H

#### AUSSIE HYDROSTATIC TESTERS

#### FAST, EFFICIENT LEAK DETECTION ... 20 BAR - 500 BAR

For leak detection in pipe lines & pressure testing boilers, pumps &

- Super high pressures to 500 BAR (7,300 psi) & high flow (to 125 Ipm) options
- Yanmar L series diesel engines
- Piston or diaphragm pump
- · Double pressure gauge with lock-off valve
- Integrated control valve
- Gearbox drive
- Full stainless steel frame trolley with 4 big flat free tyres



Australian Pump reserves the right



to change specifications and prices

#### Mine spec features ...

- · Emergency stop · Bunded frame
- Fire extinguisher
- Dual pole battery isolator



2020

#### AUSTRALIAN PUMP Industries

7 Gladstone Road, Castle Hill NSW 2154 info@aussiepumps.com.au 02 8865 3500 www.aussiepumps.com.au



Distributed by

**YANMAR** INTERNATIONAL SERVICE NETWORK